FABRICATION PRODUCTS



Founded in 1989

PLASMA
WATERJET
LASER
ROUTERS













MASTERCUT CNC

Complete Turnkey package includes the Powermax 45Sync, Advanced Digital Torch Height, Magnetic breakaway, cartridge reader to monitor consumable life on smart device, on-site delivery, on-site training, control computer, CAD/CAM, Starter set of consumables, 3 year on-site parts and labor warranty, lifetime free tech support via phone and web.

MasterFabCNC Plasma



MasterFab Series Plasma Models

Each of the CNC Plasma cutters below include Control Computer, CAD/CAM software, ATH, Hypertherm Powemax 45Sync Plasma system, and training tutorials. Requires 110V 20 A, 240V 50A, & 9.2 SCFM @ 90 PSI Clean, Dry, Compressed Air The floor space is about 2' larger than the work area...

MasterFab CNC Plasma only options:

4x4 & 5X5 MasterFab Watertable \$ call 48X96 & 60X120 MasterFab Watertable \$ call

Kev Points:

- *Entry Level low cost system made of Tubular Steel
- *Only model that watertable is made optional
- *Able to make anything that higher end can make
- *Easiest model to get upstairs due to lighter weight
- *Complete Turnkey package
- *Best in it's comparable price class
- * Automatic Torch Height
- * Magnetic Break-Away
- *Ohmic touch off and automatic Digital Voltage setting
- *Tutorials available
- * Most popular for those on a tight budget
- *Single Source 3 year, on-site, parts & labor warranty

MasterMaker CNC Plasma



MasterMaker Series Plasma Models

The MasterMaker Plasma cutters are cost effective medium duty machines made of a welded steel frame with integrated Water Table. The extra rigidity will increase speed and cut quality.

MMP 24" x 20" MasterMaker CNC Plasma \$ call MMP 48" x 20" MasterMaker CNC Plasma \$ call MMP 48" x 48" MasterMaker CNC Plasma \$ call MMP 48" x 96" MasterMaker CNC Plasma \$ call MMP 60" x 120" MasterMaker CNC Plasma \$ call

Key Points:

- *Watertable Included
- *Able to make anything that higher end can make
- *Heavy Duty Welded Structural steel construction
- *Complete Turnkey package
- *Best in it's comparable price class
- * Automatic Torch Height & Magnetic Break-Away
- *Ohmic touch off and automatic Voltage setting
- *Tutorials available
- *Most popular high school and light commercial
- *Single Source 3 year, on-site, parts & labor warranty

Plasma Cutters

Easily go from a Google image to a finished part in minutes

X 20" models fit through 36" door opening

MasterPro CNC Plasma

CNC Convert-A-Table

c8 Convert-A-Table

Shown With Plasma Configuration



MasterCut Convert-A-Table CNC Router / Plasma Models MCAT 24" x 20" MasterCut ConvertAtable \$ call

The MasterPro CNC Plasma cutters are heavy duty machines made with a larger tubular welded steel frame with integrated Water Table. The extra rigidity will enhance cut quality and will stand the test of time with 24/7 use. It's Closed loop HyBrid Servo control assures accuracy at the fastest speeds.

\$ call	24" x 24" MasterPro CNC Plasma	MPP
\$ call	48" x 24" MasterPro CNC Plasma	MPP
\$ call	48" x 48" MasterPro CNC Plasma	MPP
\$ call	48" x 96" MasterPro CNC Plasma	MPP
\$ call	60" x 120" MasterPro CNC Plasma	MPP

Key Points:

- *Watertable Included
- *Complete Turnkey package
- *All of the features of the MasterMaker
- *Adv. Closed Loop Hybrid Servos for Fastest Reliable Cut
- *Heaviest Duty Welded Structural steel const. under \$50K
- *Most popular CTE model and commercial use
- *Single Source 3 year, on-site, parts & labor warranty

\$ call MCAT 48" x 20"MasterCut ConvertAtable \$ call MCAT 48" x 48" MasterCut ConvertAtable MCAT 48" x 96" MasterCut ConvertAtable \$ call MCAT 60" x 120" MasterCut ConvertAtable \$ call Convert-A-Table easily changes from a CNC Router to a CNC Plasma cutter. This is a great option if you have very limited space and only need one function at a time. The disadvantages are that you only have one machine instead of 2 and these machines can not have a vacuum table system due to the conversion between router and plasma. The 48"X20" machine makes it possible to fit through a standard 36" door. With this heavy duty frame that can plow through wood with the robust 3-1/2HP router while the water table is sealed off. Remove the router table and you have the water table for plasma cutting. No other machine is designed to correctly do both Routing and Plasma cutting well. Conversion between the 2 functions takes less than 10 minutes.





Machine Torch	Hypertherm	Powermax S	ync Systems	without a Machine
---------------	-------------------	------------	-------------	-------------------

088580 Powermax 45 SYNC 230V 1-PH, CSA, plus CPC port, 180° machine torch w/cartridge, (25') lead 088581 Powermax 45 SYNC 230V 1-PH, CSA, plus CPC port, 180° machine torch w/cartridge, (50') lead	\$3,400.00 \$3,625.00
083349 Powermax 65 SYNC 200-600V 1/3-PH, CSA, CPC port, 180° machine torch, (25') lead 083350 Powermax 65 SYNC 200-600V 1/3-PH, CSA, CPC port, 180° machine torch, 15.2m (50') lead	\$4,475.00 \$4,700.00
087189 Powermax 85 SYNC 200-600V 1/3-PH, CSA, CPC port, 180° machine torch, 7.6m (25') lead 087190 Powermax 85 SYNC 200-600V 1/3-PH, CSA, CPC port, 180° machine torch, 15.2m (50') lead	\$5,750.00 \$6,000.00
059637 Powermax 105 SYNC 200-600V 3-PH, CSA, CPC port, 180° machine torch, 7.6m (25') lead 059638 Powermax 105 SYNC 200-600V 3-PH, CSA, CPC port, 180° machine torch, 15.2 m (50') lead	\$7,350.00 \$7,650.00
059726 SmartSYNC handheld torch 75° 7.6m (25') lead only to use with above	\$ 890.00

Hypertherm Powermax Sync Handheld systems

088560 Powermax 45 SYNC 30V 1-PH, CSA, 75° handheld torch w/cartridge, 6.1m (20') lead	\$3,025.00
083343 Powermax 65 SYNC 200-600V 1/3-PH, CSA, 75° handheld torch, 7.6m (25') lead	\$4,200.00
087183 Powermax 85 SYNC 200-600V 1/3-PH, CSA, 75° handheld torch, 7.6m (25') lead	\$4,450.00
059625 Powermax 105 SYNC 200-600V 3-PH, CSA, 75° handheld torch, 7.6m (25') lead	\$7,050.00

Powermax Duramax torch 45XP, 65 & 85 Consumables order form



5 Stage Desiccant Drying System

Dust Control Comp. Security Cabinet

Convert-A-Table Router Dust Collection System \$ call

Wireless MPG Jog Pendant

Scan QR

Powermax SYNC Consumables order form



Plasma Cutter Upgrades and options purchased w/ CNC Machine includes consumables pack

\$ call

\$ call

\$ call

Plasma Cutter Opgrades and options purci	nased w/ CNC	wachine includes	consumables pack
PowermaxSync 45 Pierce 1/2" steel and cu	t up to 7/8"	Comes standard -	Best option for most
PowermaxSync 65 Pierce 5/8" steel and cu	t up to 1"	\$ call upgrade)
PowermaxSync 85 Pierce 3/4" steel and cu	t up to 1-1/2"	\$ call upgrade	Э
PowermaxSync 105 Pierce 7/8" steel and cu	t up to 2"	\$ call upgrade	
High Definition Plasma able to cut 2" thick stee	el	\$ call Upgrade	•
Optional Torch slip touch off detection	\$ call		
Optional Engraving head	\$ call	M	PG _
Optional HVAC Software	\$ call	X:-42, 7922 Y2-41, 3543	
6" Round pipe Cutter Option	\$ call	100 000 000 000 000 000 000 000 000 000	
Micro Adjustable tilt head	\$ call		

Desiccant dryer

MasterJET Professional WaterJet

Precisely cut nearly any material even Stainless & Titanium



Turnkey System for Success



Model	Travel	Estima	ated floor space	Price
MasterJet48X24 Waterjet 50	50" X	26" Y	12'X12'	\$ call
MasterJet48X48 Waterjet 50	50" X	50" Y	12'X14'	\$ call
MasterJet48X96 Waterjet 50	50" X	98" Y	12'X18'	\$ call
MasterJet60X120 Waterjet 50	60" X	120" Y	12'X18'	\$ call
Optional Tilting head 4th Axis fo	r angled	cuts		\$ call

Dynamax 50 HP MAIN ASSY, 460V, 60HZ, WC

.01" orifice with .030" Nozzle - Includes 1 Ruby and 1 Diamond orifice

Cutting Head, HyPrecision, DiaLine 10/30

PLMB PKG; Cutting head, single whip/single head

Abrasive Regulator II Assembly with 6 ft Abrasive Pot

36" Deep Water Table with 1" reinforced plate steel bottom

NSK profiled linear ways and linear bearings

3 Axis Servo control system operating on Fanuc style G-codes

Facility requirements:

120 V 20A for controls 230 V 3Phase 100A 460 V 3Phase 50A

Compressed air line 10 CFM at 100 PSI

Hose Faucet with Clean filtered water line with 60 PSI Pressure

Floor Drain for water 12' Ceilings or higher recommended 8' minimum

2KW 3 IN 1 Handheld Laser Welder / Laser Cleaner / Laser Cutter

Advantages of FiberLaser welding Turnkey Welding Package \$ call



Relatively Short learning curve

More Efficient

Weld Steel or Aluminum

Designed for continuous use 1 year Warranty

FLW Spare Parts & Consumables Package excludes wire \$



Manufactured in China for Forest Scientific Corp Warranty and support by ForestCNC in USA

Able to weld up to: 5mm Carbon Steel 4mm Stainless Steel 4mm Aluminum

5mm = .197" 4mm=.157"

Professional 1500W Pulsed FiberLaser Handheld Laser Cleaning

Pulsed laser can be used on wood to strip the finish, rubber, and many other materials

Turnkey Cleaning Pulsed System **\$ call**

FLPC Cleaner Spare Parts & Consumables Package \$ call

Professional 2000W Continuous Handheld Laser Cleaning for Metals

Turnkey Cleaning System \$\$ call

FLCC Cleaner Spare Parts & Consumables Package \$ call

Designed for continuous use - 1 year Warranty

Cleaning width variable from 0-11.5" (0-300 mm)



Easily remove rust or paint

Remove rust from tools

Make old scrap metal usable



FiberLaser Pro Metal Cutting/Engraving



Model	Trav	vel	1.5KW	/ Fibe	r Laser	2KW
FiberLaserPro2418	24" X 18" Y	610 mm x 460 mm	\$ c	all	\$	call
FiberLaserPro3618	36" X 18" Y	920 mm x 460 mm	\$ c	all	\$	call
FiberLaserPro4818	48" X 18" Y	1200 mm x 460 mm	\$ c	all	\$	call
FiberLaserPro4824	48" X 24" Y	1200 mm x 609 mm	\$ c	all	\$	call

Options:

Optional in room filtration system	\$ call
Optional system to vent fumes outside if there is direct access	\$ call
Optional ultra quiet dry air compressor	\$ call

A fraction of the price of most fiber lasers that can only engrave metal

Liquid cooling system included

Able to Cut, Vector Engrave, and Raster Engrave metals only

Runs on industry standard G-Codes, not a proprietary language

Downdraft grid table and ports to exhaust fumes outside or to a filtration system

Depending on the operation and material compressed air, argon, O2 or N2 may be used

1.5KW Fiber Laser 240V 1PH models cut up to 12mm steel to 4mm aluminum varied by shininess

2KW Fiber Laser 240V 1PH models cut up to 16mm steel to 6mm aluminum varied by shininess

Other wattages up to 20KW available - Call for quote

1 year on-site parts and labor warranty

Plaser Metal Cutting Plasma Cutter

Clean Room Fully Enclosed Plasma





Cut: Steel Aluminum Copper Brass

Fully Enclosed

Run in a Clean Room

Cut Steel Faster than a WaterJet with Lower Operational Cost

240V operation requires compressed air - 9scfm @ 90 PSI
Closed-Loop Hybrid Servo Control System
Downdraft grid table and ports to exhaust fumes outside or to a filtration system
Automatic torch height
Automatic voltage detection, current set from computer
Includes fine marking, and standard cutting consumables
3 year on-site parts and labor warranty

Model Travel CRP2418 24" X 18" Y	Price \$ call	Perfect for an Engineering Lab
CRP3618 36" X 18" Y CRP48X18 48" X 18" Y CRP48X24 48" X 24" Y Optional in room filtration s Optional ultra quiet dry air	\$ call \$ call system \$ call	Capabilities: Near laser quality fine cutting up to ½" steel Able to cut up to 7/8" steel Low resolution metal marking



Forest Scientific Corporation PO Box 510 Tionesta, PA 16353, USA 814-463-5006 Voice 814-463-0292 Fax 1-800-956-4056 Toll-Free orderentry@forestscientific.com

www.forestscientific.com

Success from day 1.

Computerized tools for transforming ideas into reality.